



Scala

Electric Towel Rail


The Ecostrad Scala Electric Towel Rail is traditionally designed with a modern edge. Finished in eye-catching chrome or anthracite, its slimline frame provides even and long-lasting heat – for elegance as well as efficiency. Whether used for simple towel drying or advanced whole-room heating, the Scala’s choice of four high-quality elements adapts to your preferences and bathroom heating needs perfectly.




Stylish, Slimline Design



Four Control Options Available



Suitable for Bathrooms



Room Heating & Towel Drying



WiFi App Available



5 Year Warranty

Technical Details

Design	Bar profile: 40x10 mm. Steel
Colours	Chrome, Anthracite
Element	Ecostrad Standard, Ecostrad Digital, Terma MOA Blue or Ecostrad iQ WiFi element. Left or right side. Arrives separately.
Installation	Body: Brackets can be installed DIY. Element: Hardwired professional installation only. No fitted plug.
Warranty	5 years on towel rail body
Certifications	CE UKCA

Towel Rail Control Options

Ecostrad Scala Electric Towel Rails can be paired with one of four heating elements, to ensure the perfect control for your bathroom's heating needs.

Basic Control



This element heats to a constant, non-adjustable set temperature, making it ideal for connecting to a simple on/off switch or an external heating controller.

- Overheating Protection
- Heats to an internal temperature of 65 °C
- Perfect for External Control
- IP68 Rating for Superior Water Protection
- 2 Year Guarantee

Control Head Dimensions	34x28x28 (HxWxD)
Colours	Chrome, Anthracite
Flex	1.2m cable, left or right side, depending on where element is installed. Element arrives separately.
Installation	Hardwired professional installation only. No fitted plug.
Voltage	230V, 50Hz
Protection	IP68, Class I
Warranty	2 years

Thermostatic Control



Warm your towels whilst heating your room to a precise temperature with thermostatic control, and set and forget with the handy countdown timer.

- Simple 4-Button Control Panel
- 1-5 Hour Countdown Timer
- Precise Room Temperature Control up to 35 °C
- Overheating Protection
- 2 Year Guarantee

Control Head Dimensions	90x66x40 (HxWxD)
Colours	Chrome, Anthracite
Flex	1.5m cable, left or right side, depending on where element is installed. Element arrives separately.
Installation	Hardwired professional installation only. No fitted plug.
Voltage	230V, 50Hz
Protection	IP44, Class I
Warranty	2 years

Bluetooth Control



The Terma MOA Blue heating element features intuitive Bluetooth compatibility, a simple 2-button control interface, and app-based 24/7 programming.

- Smart Bluetooth App Control
- 2-Hour Countdown Timer
- Simple 2-Button Control Panel
- 24/7 Programming
- Room and Internal Temperature Control

Control Head Dimensions	66x55x39 (HxWxD)
Colours	Chrome
Flex	1.5m cable, left or right side, depending on where element is installed. Element arrives separately.
Installation	Hardwired professional installation only. No fitted plug.
Voltage	230V, 50Hz
Protection	IPX5, Class I
Warranty	2 years

iQ WiFi Control



WiFi app compatibility, 24/7 programming, and a host of advanced energy-saving features, the iQ WiFi element makes your Scala as smart as it is stylish.

- Control from Anywhere with WiFi App Control
- 4 Modes for Ultimate Flexibility and Comfort
- 8-Hour Countdown Timer
- Frost & Overheating Protection
- Room and Internal Temperature Control

Control Head Dimensions	80x66x50 (HxWxD)
Colours	Chrome
Flex	1.5m cable, left or right side, depending on where element is installed. Element arrives separately.
Installation	Hardwired professional installation only. No fitted plug.
Voltage	230V, 50Hz
Protection	IPX4, Class I
Warranty	2 years

Scala Towel Rail Models & Sizes

Basic Control

Model	SC-40-C	SC-40-A	SC-60-C	SC-60-A
SKU	12502318	12502317	12502320	12502319
Colour	Chrome	Anthracite	Chrome	Anthracite
Element Colour	Chrome	Anthracite	Chrome	Anthracite
Bars	14		19	
Wattage (w)	400		600	
Width (mm)	500		500	
Height (mm)	800		1200	
Depth (mm)	42		42	
Fitted Depth (mm)	95		95	
Product Weight (kg)	11.1		16.13	
Room Size - Max (m2)*	3		5	
Room Size - Min (m2)*	2		3.5	

Thermostatic Control

Model	SC-T-40-C	SC-T-40-A	SC-T-60-C	SC-T-60-A
SKU	12502116	12502118	12502124	12502127
Colour	Chrome	Anthracite	Chrome	Anthracite
Element Colour	Chrome	Anthracite	Chrome	Anthracite
Bars	14		19	
Wattage (w)	400		600	
Width (mm)	500		500	
Height (mm)	800		1200	
Depth (mm)	42		42	
Fitted Depth (mm)	95		95	
Product Weight (kg)	11.1		16.13	
Room Size - Max (m2)*	3		5	
Room Size - Min (m2)*	2		3.5	

Bluetooth Control

Model	SC-B-40-C	SC-B-40-A	SC-B-60-C	SC-B-60-A
SKU	12502117	12502126	12502125	12502119
Colour	Chrome	Anthracite	Chrome	Anthracite
Element Colour	Chrome	Chrome	Chrome	Chrome
Bars	14		19	
Wattage (w)	400		600	
Width (mm)	500		500	
Height (mm)	800		1200	
Depth (mm)	42		42	
Fitted Depth (mm)	95		95	
Product Weight (kg)	11.1		16.13	
Room Size - Max (m2)*	3		5	
Room Size - Min (m2)*	2		3.5	

iQ WiFi Control

Model	SC-iQ-40-C	SC-iQ-40-A	SC-iQ-60-C	SC-iQ-60-A
SKU	12502215	12502216	12502217	12502218
Colour	Chrome	Anthracite	Chrome	Anthracite
Element Colour	Chrome	Chrome	Chrome	Chrome
Bars	14		19	
Wattage (w)	400		600	
Width (mm)	500		500	
Height (mm)	800		1200	
Depth (mm)	42		42	
Fitted Depth (mm)	95		95	
Product Weight (kg)	11.1		16.13	
Room Size - Max (m2)*	3		5	
Room Size - Min (m2)*	2		3.5	

* Radiators measurements exclude the heating element.

* Stated heating areas are approximate, based on usage of the heater at full temperature capacity. If the internal temperature is set at a lower level, effective heating areas will be reduced. Additionally, hanging towels over the product may reduce effective room heating output.